

SOLUTIONS  
XXL  
INCLUDED



 Bandalux

Roller Shade



# Index

04	Product presentation
19	<b>CLASS</b> Max. 1800 x 2200mm / 1600 x 2500mm
20	Manufacturing sizes and prices
25	Options
26	Technical data
27	Spare parts
29	<b>PREMIUM</b> Max. 2400 x 2200mm / 2000 x 2600mm
30	Manufacturing sizes and prices
35	Options
36	Technical data
38	Spare parts
41	<b>PREMIUM PLUS</b> Max. 4600 x 4600mm
42	Manufacturing sizes and prices
47	Options
49	Technical data
52	Spare parts
55	<b>ARION XXL</b> Max. 6000 x 3000mm / 5200 x 7000mm
56	Manufacturing sizes and prices
60	Options
61	Technical data
62	Spare parts
65	Motorization
77	Child safety system
78	Bandalux Warranty
79	General Conditions

 **Bandalux**

## Roller and XXL Roller

Subtle design systems for small sizes and durable designs for XXL sizes. Wide array of options.

# Roller shades

Choose your **Style**


 Bandalux



Premium Plus Shade with Polyscreen® 314 fabric Ebony - **OF 14%**



Premium Plus Shade with Polyscreen® 550 fabric Blanco Perla - **OF 5%**




Channeled Premium Plus Shade with blackout fabric



Premium Plus Shade with Polyscreen® 351 fabric Blanco - **OF 1%**

# XXL Roller Shades



XXL Arion Shade with Polyscreen® 365 fabric Ebony Moka - OF 5%




XXL Arion Shade with Polyscreen® 403 fabric White - OF 3%



XXL Arion Shade with Polyscreen® 550 fabric White - OF 5%. Height of up to 7 meters.

# Cutting-edge Aesthetics

Reliable, durable systems created to fit in with all decorative styles, covering large and small areas, alike.



## > Class

Maximum shade size\*:

**1800mm width**  
**2500mm height**

- Support colors that match the fabric.
- Chain operated.

COLORS:



## > Premium

Maximum size Premium\*:

**2400mm width**  
**2600mm height**

## > Premium Plus

Maximum size Premium Plus\*:

**4600mm width**  
**4600mm height**

- Minimal gap between the fabric and the end of the shade.
- Chain, motor and crank.

COLORS:



## > Arion

Maximum shade size\*:

**6000mm width**  
**7000mm height**

- Rust-resistant components. Appropriate for outdoor use.
- Crank- and motor- operated.

COLORS:



SIMPLICITY  
WITH STYLE

SLENDER  
AND DURABLE

# Class



## Simple aesthetic

Chain operated in **8 colors to match the fabric.**

Option of side channeling with  $\varnothing 1.5\text{mm}$  cable channel.



By default, Bandalux supplies its products with the **child safety system**, which enables the chain to be fastened to the wall to keep children from getting tangled up in it.



## Fast and easy installation

The fastening system is designed to facilitate an easy and totally safe installation.



Child Safety

# Premium and Premium+



## Extra fine design

Reduced size design and totally flat cover, giving the shade a very light visual effect.

Different sizes in proportion with the size of the shade.



## Subtle colors

The available colors afford a perfect match with the range of available fabrics. Bandalux makes the sets, offering the client an appealing, balanced, matching proposal. Available colors: White, Black, Brown, Grey and Ivory.



## Minimum space between shades


Minimum distance between the fabric and the end of the shade (GAP), reducing the entrance of light.




1 SUPPORT 1 SHADE

2 SUPPORTS 2 SHADES

1 SUPPORT 2 SHADES



14mm



28mm



22mm

# Premium and Premium+



## Operating systems for every need



Chain, the most popular option with the simplest usage.

**MORE COMFORT OPTION**



Chain-operated option: Assisted spring or Redux system to facilitate the raising of large shades with minimal effort, reducing the practical weight of the shades to half (depending on the size). Only for Premium Plus.



Motor Cable, Radio, Rechargeable battery (only for Premium), and IO Domotics (only for Premium Plus).



**outdoor installation** ← Crank operation also available. Ideal for outdoor installations. (Premium Plus II)

## The perfect closure

The bottom rail is a distinguishing feature that gives the client the option of personalizing the finish of the shade.

SLIM 25 BOTTOM RAIL



SLIM 35 BOTTOM RAIL



TEARDROP HIDDEN BOTTOM RAIL



HIDDEN BOTTOM RAIL Ø20/30mm



## Double support

Two shades on a single support that enable you to combine an opaque fabric with a decorative fabric.



Only available for Premium Plus.

## More than 500 references

All sorts of decorative and technical fabrics with a diverse range of textures and degrees of transparency, forming the most assorted range of roller shade fabrics on the market.



## Adjustable installation

The junction profile facilitates the assembly of the shade, saving time, thanks to its adjustable system.



## Child safety

By default, Bandalux supplies its products with the **child safety system**, which enables the chain to be fastened to the wall, to keep children from getting tangled up in it.



## Optimal fabric fastening

"U - 201" COURTE CHANNEL



"R2" TELESCOPIC CHANNEL



"U - 301" COMPACT CHANNEL



Multiple channel options for indoor and outdoor installation. Cable channels and aluminum profile channels that help keep the fabric from moving up and down.

FLOOR CABLE CHANNEL



WALL CABLE CHANNEL



# ELEGANCE AND DURABILITY FOR XXL SHADES



# HIGH-QUALITY, EXCELLENTLY DESIGNED COMPONENTS

## Arion roller



### XXL Sizes

Sizes up to **6m wide and 7m high** and surface area of 36m<sup>2</sup>.



Support available in 3 colors


### Operating systems

The Arion system can be operated via motor:



**MOTOR IN VIEW**  
Provided by default

**HIDDEN MOTOR**  
Optional



Or via crank:



### Fabrics for Indoors and Outdoors

Range of fabrics for Indoors and Outdoors, **with different opening settings**, made to withstand the outdoor elements in perfect condition.

### Double drop

Available in-between support with the option of controlling two shades with a single operation or two independent shades, **reducing the space between shades.**



### Indoor and outdoor

**Ideal for outdoor installation and suitable for saline environments**, thanks to their rust-proof components and stainless steel screws.




### Channel systems

indoor & outdoor installation


Channel **stainless steel wand** (ø10mm).

Stainless steel **cable channel** (ø5mm).






Different opening settings that enable visibility to the outside with total privacy inside



- Fire-retardant (C1 Regulations)**  
Stops the propagation of fire.
- Energy savings**  
Thermal and lighting comfort.
- Convenience**  
Easy cleaning and maintenance.
- Indoor/outdoor installation**  
High resilience to the elements.

## features benefits



High-tenacity PVC-coated polyester

> **High durability.**  
**No tears or fraying.**

Durable and flexible fabric

> **Will not tear or warp with changes in temperature. Solid appearance, with no folds or wrinkles. Perfect retraction.**

Different opening settings

> **Solar protection. Greater or less transparency. Thermal comfort.**

Lead-free phthalate-free fabric.  
Free of organic fibers

> **Odorless, non-toxic and antibacterial. Dust and bacteria will not adhere to the fabric.**

Recyclable and sustainable fabric

> **Environmental and air quality conservation.**

Made in the EU

> **Complies with all European regulations.**



ECO  
ATTITUDE

 Bandalux

 Bandalux

RECYCLED  
COTTON



FREE OF  
POLLUTANTS



PET  
RECYCLED  
1m<sup>2</sup> = 6 BOTTLES



ECOLOGICAL FABRICS ~ SUSTAINABLE PROCESSES



Environmentally friendly ECOLOGICAL FABRICS.



RECYCLABLE FABRICS that reduce waste.



GREENGUARD® WARRANTY Fabrics suitable for children's spaces.



SUSTAINABLE production, management and distribution PROCESSES.



ODORLESS Technical fabrics do not give off odors.



ENERGY SAVINGS OF UP TO 25%, thanks to its different opening settings and its composition.

CE



> Class

Indoor installation



FEATURES

Supports in 8 colors

Range of fabrics


Cable channel measuring ø1.5mm

BENEFITS

> Perfect color coordination between the fabric and the support. Aesthetic value.

> Wide range of fabrics: decorative, fire-retardant, metallic, blackout, Polyscreen® and recycled.

> For a perfect indoor installation, with no swaying in the fabric.



## > Premium

Indoor installation 

### FEATURES

Available in 5 colors

Several different bottom rail designs

Chain- or motor-operated

A variety of solutions

Wide range of fabrics

### BENEFITS

> A variety of colors, for the perfect match of the fabric and supports.

> Option of selecting the bottom rail by color or by design.

> Motor-operated, for greater convenience, with the option of a rechargeable battery-operated motor.

> Multiple options to adapt the shade to the needs of the customer: junction profile, cable-channeled or multiple drop.

> Wide variety of technical and decorative fabrics.

**MORE COMFORT OPTION**

Bandalux offers systems that **ease and reduce the sensation of weight.**

**Assisted spring**

Ideal for sizes larger than 5m<sup>2</sup>.

Example of a shade measuring 3,6 x 4m:

- **Without spring = 4,8kg**
- **With spring = 2,2kg**

(WITH limit switch)

**Redux System**

Flat gear system that **ensures the smooth operation, reducing the weight by 35%** for any size

(WITHOUT limit switch, endless chain)

See page 48



**> Premium Plus**



**FEATURES**

**BENEFITS**

Versatility and adaptation

> Thanks to the many options for channels, bottom rails, operation systems and installation, this is the most suitable roll-up shade for the sizes, features and needs of the window.

Wide range of fabrics

> Decorative, fire-retardant, metallic, blackout, Polyscreen® and recycled.

High-precision design

> Limits the entrance of light by reducing the gap between the fabric and the shade support.

## OUTDOOR option

The components of the  
XXL roller system  
**are weather resistant**  
and totally guaranteed.



## > Arion

indoor &  
outdoor  
installation



### FEATURES

Durable design supports

Indoor or Outdoor installation

Channeling options

Polyscreen® and blackout fabrics

### BENEFITS

> The highly durable design of the supports was developed to ensure excellent functioning.

> The channeling options and rust-proof components make this system ideal for outdoor installation.

> For greater efficacy and better fastening of the fabric outdoors:  
**Cable channel:** ø5mm diameter, in stainless steel.  
**Wand guide:** ø10mm diameter, in stainless steel.

> Fire-retardant fabrics with different openness factors and a wide color range, as well as a wide variety of opaque fabrics.



## > Motorization

 BANDALUX BATTERY

✓ FOR MOTOR: **RECHARGEABLE 0.8/30**

TRANSMITTERS

**Standard single-channel remote controls**  
Single-channel radio control transmitter for individual or group commands.

**1-CHANNEL TRANSMITTER**  
18510110  
**33€**



**Standard 6-channel remote controls**  
Multi-channel radio control transmitter for individual and/or group commands.

**6-CHANNEL TRANSMITTER S**  
18510120  
**46€**



**Standard 16-channel remote controls**  
Multi-channel radio control transmitter for individual and/or group commands.

**16-CHANNEL TRANSMITTER S**  
18510130  
**62€**



WALL TRANSMITTERS


**Standard 1-channel wall-mounted control units**  
Single-channel wall-mounted control unit with radio technology for use with individual systems or groups.

**1 CHANNEL WALL TRANSMITTER**  
18500140  
**31€**



**Standard 6-channel wall-mounted control units**  
Multi-channel wall-mounted control units with radio technology for use with individual systems or groups.

**WALL-MOUNTED TRANSMITTER, 6 RAIL CHANNELS**  
18500150  
**41€**



**Install at a height of at least 1,50 metres.**

**CHILD SAFETY SYSTEM**

**PROTECT YOUR CHILDREN FROM STRANGLING WITH THE CORD OR CHAIN**

Cords and chains can wrap around children's neck resulting in suffocation or even death.

Always keep the chain or cord of the shades **out of the reach of children**. Since children can climb furniture, **make sure to put the cribs, playpens or any furniture away from cords or chains**.


The supplied safety device (see photo) must always be securely attached to the wall and hold tightly the cord or chain, thus preventing children from pulling them around the neck.

By default Bandalux will always provide all shades and blinds with Child Safety System. When not necessary due to the absence of children, the waiver must be signed.


Bandalux will not be responsible for installation by third parties. It is the responsibility of the installer to correctly place the child safety system.



Side of command



In accordance with the European standard EN13120 anti choke related to the safety of children.



**3** years  
warranty

**5** years  
warranty

The warranty period is **3 years** for the Class, Premium and Premium Plus systems and **5 years** for the Arion system **from date of purchase** on original invoice.

## WHAT IS COVERED

- ✓ **Materials.**
- ✓ **Systems and internal mechanisms.**
- ✓ **Components and brackets.**

## WHAT IS NOT COVERED:

- . If the product has not been installed in accordance with the installation instructions.
- . Any conditions caused by normal wear and tear.
- . Accidents, misuse and/or alterations to the product.
- . Exposure to elements such as sun, wind, water and/or humidity and over time discoloration or fading.
- . Shipping charges, cost of removal and/or reinstallation.
- . Measurement variations of height and/or width of the blinds or shade of +/-0.2% or less.
- . Any treatment applied to the product, be it for washing or any other purpose that is not expressly recommended by Bandalux.
- . The proximity of the shades or blinds to abnormal heat sources and/or corrosive chemical that may alter the quality, appearance and presentation of the product, as well as functionality.
- . Damages due to consequences of natural disasters, and/or unforeseeable circumstances.

españa

france

italia

 Bandalux

usa

benelux

portugal

[bandalux.com](http://bandalux.com)



Certifications

