



Range of Box Roller Shades

B-Box

Roller shade with cassette

Subdued box with refined lines that fits in perfectly with the contemporary style.

COLORS:

- White RAL 9010
- Black RAL 9011
- Brown RAL 8019
- Anthracite RAL 7016
- Grey RAL 9006
- Light Ivory RAL 1013

Cassette sizes	65mm	85mm	100mm	136mm
Chain indoor use	✓	✓	✓	✓
Crank requires channels outdoors	✓	✓	✓	✓
24 V Motor requires channels outdoors	✓	X	X	X
230 V Motor requires channels outdoors	✓	✓	✓	✓
Self-supporting	✓	✓	✓	✓
Cable guide	✓	✓	✓	✓
U channel	✓	✓	✓	✓
Blackout channel (indoor)	✓	✓	✓	✓
Double drop with 1 operation mechanism	X	✓	✓	✓
Double drop with 2 operation mechanisms	✓	✓	✓	✓
Wind profiles	✓	✓	✓	✓



Ceiling or wall installation

Easy to install, thanks to the clip system for indoor installations. Extra durable support available for outdoor installations and large sizes.

Channels adapted to each individual need

SELF SUPPORTING SYSTEM

FOR CHAIN-OPERATED SYSTEMS



U-201 SMALL
U-301 COMPACT
U-401 SMALL CLIP

FOR CRANK- OR MOTOR- OPERATED SYSTEMS



U-302 COMPACT LONG
U-402 LONG CLIP

FOR PRIVACY



UO-501 LONG CLIP
ADJUSTABLE R2 FRONTAL CLIP
SIDE

A wide variety of cable guides and aluminum channels, designed for any type of installation, to reduce gaps to the bare minimum.



Opening cassette

The interior of the cassette can be accessed, making it very convenient; **easy maintenance**, with no need to take down the shade.

Wide range of fabrics

All sorts of **technical and decorative fabrics** available. Different textures and degrees of transparency make for the most widely assorted range on the market.


Minimal GAP

The space between the box and the fabric is reduced to 10mm, to minimize the entrance of light.



Child Safety

By default, Bandalux supplies its products with the **child safety system**, which enables the chain to be fastened to the wall, to keep children from getting tangled up in it.



Maximum stability

Optional midway profiles that ensure the **fabric's stability** in the face of wind.

SIDE CHANNEL OPTIONS

CABLE GUIDE

Cable guide B-BOX 65 / 85 / 100 (indoor/outdoor)


CABLE GUIDE
ø3,2mm outdoor/indoor

ⓘ Only B-BOX 65


CABLE GUIDE
ø2,5mm indoor

CABLE GUIDE
ø3,5mm outdoor

FASTENING
WALL



FASTENING
FLOOR



Ceiling /Floor **TS**
Ceiling /Wall **TP**
Wall /Floor **PS**
Wall /Wall **PP**

Cable guide B-BOX 136 (indoor/outdoor)

CABLE GUIDE
ø5mm INOX



FASTENING
WALL
58mm



FASTENING
FLOOR
60mm

Ceiling /Floor **TS**
Ceiling /Wall **TP**

Wall /Floor **PS**
Wall /Wall **PP**


"U" CHANNEL

Cable guide (indoor/outdoor)




FOR CHAIN-OPERATED SYSTEM:

U-201
SMALL




ⓘ Indoor installation

U-301
COMPACT




U-401*
SMALL CLIP




FOR CRANK OR MOTOR:

U-302
COMPACT LONG



U-402*
LONG CLIP




DOUBLE DROPS IN A SINGLE BOX:

DOUBLE CHANNEL KIT

U-401 KIT chain

U-402 KIT crank or motor




BLACK OUT CHANNEL

Blackout channel (exclusively for indoor installation with Euroslim bottom rail)




UO-501




ⓘ Available base profile

ADJUSTABLE R2



DOUBLE DROPS IN A SINGLE BOX

DOUBLE CHANNEL KIT
UO CHANNEL KIT
R2 CHANNEL KIT



ADDITIONAL BRACKETS B-BOX 65

ADDITIONAL BRACKETS B-BOX 65

INDOOR
WALL / CEILING
INSTALLATION



REINFORCED
CEILING



REINFORCED
WALL*



CHANNEL SPACER
BRACKET



ⓘ *Incompatible with frontally installed aluminium channels.

ADDITIONAL BRACKETS B-BOX 85

INDOOR
WALL / CEILING
INSTALLATION



REINFORCED
CEILING



REINFORCED
WALL*



CHANNEL SPACER
BRACKET



ⓘ *Incompatible with frontally installed aluminium channels.

ADDITIONAL BRACKETS B-BOX 100

INDOOR
WALL / CEILING
INSTALLATION



REINFORCED
CEILING



REINFORCED
WALL*



CHANNEL
SPACER
BRACKET



ⓘ *Incompatible with frontally installed aluminium channels.

ADDITIONAL REINFORCED BRACKETS B-BOX 136

CEILING
INSTALLATION*



WALL
INSTALLATION*



CHANNEL
SPACER
BRACKET



ⓘ Incompatible with frontally installed aluminium channels.

1. * Includes fastening bolt. 2. Brackets are visible.



MINIMUM SHADE WIDTH

Operation	B-BOX		
CHAIN	200 mm*	MOTOR SOMFY ROLL UP RTS 24 V	400 mm
CRANK	400 mm	SOMFY Ø40 MOTORS CABLE AND SILENT	560 mm
BANDALUX Ø25 MOTOR 24 V RADIO	540 mm	MOTOR SOMFY Ø50 ARIANE	630 mm
BANDALUX Ø25 MOTOR 24 V BATTERY	530 mm	MOTOR SOMFY Ø50 ATLAS	630 mm
BANDALUX Ø40 MOTOR CABLE	600 mm	SOMFY Ø50 MOTOR SILENT CABLE	650 mm
BANDALUX Ø50 MOTORS CABLE	630 mm	MOTOR SOMFY Ø40 ALTUS RTS	610 mm
BANDALUX Ø40 MOTOR RADIO	640 mm	MOTOR SOMFY Ø40 SONESSE RTS	740 mm
BANDALUX Ø50 MOTORS RADIO	660 mm	SOMFY Ø50 RTS MOTORS	660 mm
MOTOR SOMFY ROLL UP WT 24 V	370 mm	MOTOR SOMFY Ø50 SONESSE RTS	740 mm
		SOMFY Ø50 IO SUNEА SCREEN MOTORS	750 mm

- 1. *For widths between 200 mm and 400 mm, the maximum height is 1500 mm, without side channels. For heights exceeding this measurement, channels are required.
- 2. This information is approximate and may vary depending on the fabric.

CASSETTE SIZES (mm)

B-BOX	NORMAL INSTALLATION								INSTALLATION IN OPPOSITE DIRECTION*					
	SELF-SUPPORTING		INDOOR WALL/CEILING BRACKET		REINFORCED WALL BRACKET		REINFORCED CEILING BRACKET		REINFORCED WALL BRACKET			REINFORCED CEILING BRACKET		
	A	B	A	B	A	B	A	B	A	B	C	A	B	C
B-BOX 65	67	69	78	73	76	73	67	73	76	73	41	67	72	32
B-BOX 85	86	90	97	92	95	92	86	92	92	100	58	86	99	51
B-BOX 100	100	104	111	107	109	107	100	107	108	115	73	100	114	65
B-BOX 136	136	136	--	--	147	147	136	147	--	--	--	--	--	--

- *Installation in opposite direction: Not available with chain-operated system. Box CANNOT be opened. **Worst case (Hidden bottom rail ø30).


NUMBER OF BRACKETS, ACCORDING TO SHADE WIDTH	
Shades width B-BOX	N. of brackets
W ≤ 1500 mm	2
1500 mm < W ≤ 2500 mm	3
2500 mm < W ≤ 3500 mm	4
3500 mm < W ≤ 4500 mm	5
4500 mm < W	6

BOTTOM RAILS						
	Ø20	Ø30	TEARDROP	SLIM 25	SLIM 35	EUROSLIM
B-BOX						
WITHOUT SIDE CHANNEL	✓	✓	✓	✓	✓	X
CABLE GUIDE	✓	✓	✓	✓	✓	X
'U' CHANNEL ALUM.	✓	✓	X	X	✓	X
BLACKOUT CHANNEL	X	X	X	X	X	✓
LIMIT	--	--	2500 mm	2500 mm	--	--

- 1. B-Box 65 - Compatible with any bottom rail.
- B-Box 85/ B-Box100 - Compatible with any bottom rail except "Teardrop"
- B-Box 136 - Compatible with any bottom rail except "Teardrop" and "Slim 25"



INSTALLATION ON CURTAIN ROD AND STACKING HEIGHT (mm)




B-BOX

(1) *Information for reinforced ceiling bracket

mm	Ø20		Ø30		TEARDROP		SLIM 25		SLIM 35		EUROSLIM	
	A	B	A	B	A	B	A	B	A	B	A	B
B-BOX 65	93	120	103	120	94	120	98	120	109	120	106	110
B-BOX 85	112	140	122	140	--	--	117	140	128	140	126	130
B-BOX 100	127	160	137	160	--	--	--	--	143	160	141	150
B-BOX 136	167	205	177	205	--	--	--	--	183	205	173	195

WIDTH OF SPACE BETWEEN THE BRACKET AND THE FABRIC (GAP)



w2 bracket side **w1** control side


(1) B-BOX 65 25mm gap on the crank control side, **(2)** B-BOX 136 = 19mm, **(3)** Information for Slim 35 bottom rail. For the hidden bottom rail, subtract 3mm

B-BOX			WITHOUT SIDE CHANNEL	CABLE GUIDE	ALUMINUM CHANNEL U-SMALL	ALUMINUM CHANNEL U-LONG	ROD GUIDE	ROD FASTENER	ROD-GUIDE FASTENER
			CHAIN	w1	19mm	19mm	23mm ⁽³⁾	28mm ⁽³⁾	--
	w2	15mm	18mm ⁽²⁾	23mm ⁽³⁾	28mm ⁽³⁾	--	--	--	
CRANK	w1	31mm ⁽¹⁾	31mm ⁽¹⁾	31mm ⁽¹⁾	31mm	--	--	--	
	w2	15mm	18mm ⁽²⁾	23mm ⁽³⁾	28mm ⁽³⁾	--	--	--	
MOTOR Ø25	w1	16mm	--	--	--	--	--	--	
	w2	15mm	--	--	--	--	--	--	
MOTOR Ø40	w1	21mm	21mm	23mm ⁽³⁾	28mm ⁽³⁾	--	--	--	
	w2	15mm	18mm ⁽²⁾	23mm ⁽³⁾	28mm ⁽³⁾	--	--	--	
MOTOR Ø50	w1	24mm	24mm	24mm	28mm ⁽³⁾	--	--	--	
	w2	15mm	18mm ⁽²⁾	23mm ⁽³⁾	28mm ⁽³⁾	--	--	--	

WIND PROFILES AND SPACER BRACKETS


WIND PROFILE SIZES

The wind profile option includes 2 profiles for shade heights under 2m, and 4 profiles for shade heights of 2m and higher. Half of the profiles will be installed on each side of the shade.




- (1)** Only compatible with U-402 and U-302 channels.
- (2)** Maximum width 2500 mm
- (3)** Not compatible with chain-operated system.

SPACER BRACKET



- (1)** Only compatible with U-401, U-402 and ZIP channels, and double channel KIT.



Shade height H	N. of brackets per channel
H ≤ 1500 mm	2
1500 mm < H ≤ 2500 mm	3
2500 mm < H ≤ 3000 mm	4
3000 mm < H ≤ 4000 mm	5




OPERATING SYSTEMS

CHAIN

CHAIN-OPERATED SYSTEM WITH Child Safety

The **Child Safety** piece must be positioned at a minimum height of 1.5m from the ground.



CHAIN-OPERATED SYSTEM WITHOUT Child Safety

In case the Child Safety feature is declined, the height of the controls will be:

FOR B-BOX 65, B-BOX 85, B-BOX 100

Minimum calculation for hc: $H \times 0,70$

FOR B-BOX 136

Minimum calculation for hc: $H \times 0,90$


Height of shade H	Example of calculation	
	Height of controls hc (minimum)	
	B-65, B-85, B-100	B-136
1000 mm	700 mm	900 mm
2000 mm	1400 mm	1800 mm
4000 mm	2800 mm	3600 mm

1. The height of the controls will always be measured from the uppermost section of the shade (upper end of the support), to the lower part of the chain tensioner.

CRANK

HEIGHT OF CONTROLS

Recommended crank heights hc



1000 mm	
1200 mm	2200 mm
1400 mm	2400 mm
1600 mm	2600 mm
1800 mm	2800 mm
2000 mm	3000 mm




1. In the single crank control, the height of the control is interpreted with the crank in the operative position. To find out the measurement with the crank extended, add 140 mm.

TYPE OF INSTALLATION

H INTERIOR


K EXTERIOR

I EXTERIOR WITH CRANK RETURN




VARIATIONS OF CRANK RETURN


I.1 90° UPPER




mm	B-65	B-85	B-100	B-136
A	13	16	16	16
B	22	30	37	51
Cmax	265	260	250	230




I.2 90° LOWER




mm	B-65	B-85	B-100	B-136
A	13	16	16	16
B	49	64	71	85
Cmax	265	260	250	230




I.3 45°




mm	B-65	B-85	B-100	B-136
A	X	16	16	16
B	X	64	76	111
Cmax	X	180	170	150



I.4 INSTALLATION IN OPPOSITE DIRECTION



mm	B-65	B-85	B-100	B-136
A	13	16	16	X
B	22	30	37	X
Cmax	265	260	250	X






MOTORS									
MOTOR TYPE	MOTOR NAME	Ø mm	Nm	r.p.m	power (W)	exterior inst.	Requires transformer	Motor 24 V/DC	Motor 230 V/AC
BANDALUX CABLE	CABLE 40 4/28	40	4	28	123	YES	NO		x
	CABLE 50 5/28	50	5	28	125	YES	NO		x
	CABLE 50 20/16	50	20	16	180	YES	NO		x
BANDALUX RADIO	RADIO 25 1.0/30	25	1.2	30	36	YES	NO	x	
	RADIO 40 4/28	40	4	28	123	YES	NO		x
	RADIO 50 5/28	50	5	28	125	YES	NO		x
	RADIO 50 20/16	50	20	16	180	YES	NO		x
BANDALUX BATTERY	RECHARGEABLE 1.2/30	25	1.2	30	6.7	NO	NO	x	
SOMFY® CABLE	ROLL UP WT 0.8/30	28	0.8	30 ▲ 53 ▼	19.2	NO	YES	x	
	MERCURE 40 3/30	40	3	30	80	YES	NO		x
	ARIANE 50 6/32	50	6	32	120	YES	NO		x
	ATLAS 50 15/32	50	15	32	240	YES	NO		x
SOMFY® SILENT CABLE	SONESSE 40 3/30	40	3	30	95	YES	NO		x
	SONESSE 50 WT 6/28	50	6	28	146	YES	NO		x
	SONESSE 50 WT 10/28	50	10	28	180	YES	NO		x
SOMFY® RTS	ROLL UP RTS 1.1/28	28	1.1	28 ▲ 57 ▼	9.6	NO	YES*	x	
	RTS ALTUS 40 3/30	40	3	30	80	YES	NO		x
	RTS ALTUS 50 6/32	50	6	32	120	YES	NO		x
	RTS ALTUS 50 15/17	50	15	17	140	YES	NO		x
SOMFY® SILENT RTS	RTS SONESSE 40 3/30	40	3	30	95	YES	NO		x
	RTS SONESSE 50 6/28	50	6	28	146	YES	NO		x
	RTS SONESSE 50 10/28	50	10	28	180	YES	NO		x
SOMFY® IO	IO SUNEА SCREEN 6/32	50	6	32	120	YES	NO		x
	IO SUNEА SCREEN 15/32	50	15	32	240	YES	NO		x
	IO SUNILUS 40/17	50	40	17	270	YES	NO		x

- ❗ 1. *Either the transformer or a pack of rechargeable batteries can be used.
- 2. To guarantee proper operation, Bandalux will provide a motor model that is appropriate for the size of the shade.

DOUBLE DROPS B-BOX

DOUBLE DROP WITH ONE OPERATING SYSTEM (a single tube)
 This may include a midway support that will allow for widths that exceed the maximum of a given shade, with a limit of 6 meters.



❗ For the chain-operated system, the maximum width for the double drop system cannot exceed the maximum width of a single shade.

DOUBLE DROP WITH TWO OPERATING SYSTEMS (double support)



❗ Double drop for B-BOX 65 is only available without side channel.



B-BOX 65

B-BOX 85

B-BOX 100

B-BOX 136

Collection	Colors	Type	Manufacture without join (WIDTH X HEIGHT)		Joined (WIDTH X HEIGHT)	Manufacture without join (WIDTH X HEIGHT)		Joined (WIDTH X HEIGHT)	Manufacture without join (WIDTH X HEIGHT)		Joined (WIDTH X HEIGHT)	Manufacture without join (WIDTH X HEIGHT)		Joined (WIDTH X HEIGHT)	
			Warp confection	Weft confection	Weft confection	Warp confection	Weft confection	Weft confection	Warp confection	Weft confection	Weft confection	Warp confection	Weft confection	Weft confection	Warp confection
BLACK OUT	Desert, Peach, Stone	BO	2400x2800 1600x3600 1000x4000	2800x2000 2600x2140	2800x2000 2600x2600 2000x3000 1400x3800	2440x5200 2400x5400 2000x5800	3000x2140	3000x3800 2800x5200 2400x5400 2000x5800		2440x6000	3600x2140	3600x2600 3400x5800 3200x6000	2440x7000	4200x2140	4200x3800 4000x7000
BLACK OUT	Alabaster, Black, Custard, Light grey, White	BO	2800x2000 2400x2800 1600x3600 1000x4000	2800x2000 2600x2600 2400x2700	2800x2000 2600x2600 2000x3000 1400x3800	3000x3800 2800x5200 2400x5400 2000x5800	--	--	3000x6000	3600x2600 3400x2700	3600x2600 3400x5800 3200x6000	3000x7000	4200x2700	4200x3800 4000x7000	
FIBERTEX	The entire range	FR (M1)	2100x2400 1800x3000 1400x3400 1000x3600	3600x1400 3400x1600 3200x1800	N/D	2100x5200 2800x5600 1400x5800	4000x1600 3800x1800	N/D	2100x6000	4600x1800	N/D	2100x7000	5400x1800	N/D	
LANAIR BLACKOUT	The entire range	BO	2600x2600	--	N/D	2600x2600	--	N/D	2600x2600	--	N/D	2600x2600	--	N/D	
LÍNEA 2000	The entire range	Deco	2700x2200 2000x2600 1600x3200 1000x3600	3600x1400 3200x1800 2800x2200 2400x2400	N/D	2700x4400 2200x5200 1800x5600 1400x5800	4000x1600 3800x2400	N/D	2700x6000	4600x2400	N/D	2700x7000	5400x2400	N/D	
MATTIZ IGNIS	The entire range	FR (C1)	2000x2600 1800x3000 1400x3400 1000x3600	3600x1400 3400x1600 3200x1700	N/D	2000x5400 1800x5600 1400x5800	4000x1600 3800x1700	N/D	2000x6000	4600x1700	N/D	2000x7000	5400x1700	N/D	
PLANET	The entire range	Deco ECO OF 1%	2700x2200 2000x2600 1600x3200 1000x3600	3600x1400 3200x1800 2800x2200 2400x2400	N/D	2700x4400 2200x5200 1800x5600 1400x5800	4000x1600 3800x2400	N/D	2700x6000	4600x2400	N/D	2700x7000	5400x2400	N/D	
ROMA	The entire range	Deco	2500x1800 1800x2400 1600x2600 1000x2800	3600x1000 3000x1600 2200x2000 1800x2200	N/D	2500x3600 2200x4000 1800x4400 1400x4600	4000x1200 3800x2200	N/D	2500x5400 2400x5800 2000x6000	4600x1800 4400x2200	N/D	2500x7000	5400x2200	N/D	



BO: Blackout fabric. FR: Fire-retardant fabric. ECO: Recycled fabric. Deco: Decorative fabric. OF: Openness factor. M1: NF P 92-503. C1: EN 13773:2003.




 **MAXIMUM SHADE SIZE (mm)**

B-BOX 65

B-BOX 85

B-BOX 100







B-BOX 136

Collection	Colors	Type	Manufacture without join (WIDTH X HEIGHT)		Manufacture without join (WIDTH X HEIGHT)		Manufacture without join (WIDTH X HEIGHT)		Manufacture without join (WIDTH X HEIGHT)	
			 Warp confection	 Weft confection	 Warp confection	 Weft confection	 Warp confection	 Weft confection	 Warp confection	 Weft confection
BLACK OUT FACE TO FACE	Ivory, Black, Garnet, Terracotta, White	BO	2500x2600 2000x3000 1600x3600 1000x4000	2800x2000 2600x2200	2500x5200 2400x5400 2000x5800	3000x2200	2500x6000	3600x2200	2500x7000	4200x2200
BLACK OUT FACE TO FACE	Fuchsia, Green, Violet	BO	2000x3000 1600x3600 1400x3800 1000x4000	2800x1700	2000x5800	3000x1700	2000x6000	3600x1700	2000x7000	4200x1700
ETAMINE	The entire range	Deco	2700x2200 2000x2600 1600x3200 1000x3600	N/D	2700x4400 2200x5200 1800x5600 1400x5800	N/D	2700x6000	N/D	2700x7000	N/D
LONETA NATURAL	The entire range	Deco	2700x2200 2000x2600 1600x3200 1000x3600	3600x1400 3200x1800 2800x2200 2400x2400	2700x4400 2200x5200 1800x5600 1400x5800	4000x1600 3800x2400	2700x6000	4600x2400	2700x7000	5400x2400
MATTIZ NACARADE	The entire range	METAL FR (M1)	2000x2600 1800x3000 1400x3400 1000x3600	3600x1400 3400x1600 3200x1700	2000x5400 1800x5600 1400x5800	4000x1600 3800x1700	2000x6000	4600x1700	2000x7000	5400x1700
NATURALES II	The entire range	Deco	2700x2200 2000x2600 1600x3200 1000x3600	N/D	2700x4400 2200x5200 1800x5600 1400x5800	N/D	2700x6000	N/D	2700x7000	N/D
RENAISSANCE	The entire range	Deco ECO-OF 15%	2000x2600 1800x3000 1400x3400 1000x3600	3600x1400 3400x1600 3200x1700	2000x5400 1800x5600 1400x5800	4000x1600 3800x1700	2000x6000	4600x1700	2000x7000	5400x1700
SINGULAR BLACKOUT	The entire range	BO	2600x2600	--	2600x2600	--	2600x2600	--	2600x2600	--
SKYLINE	The entire range	FR (C1)	2400x2400 1800x3000 1400x3400 1000x3600	3600x1400 3400x1600 3200x1800 2800x2100	2400x4800 2200x5200 1800x5600 1400x5800	4000x1600 3800x2100	2400x6000	4600x2100	2400x7000	5400x2100



B-BOX 65

B-BOX 85







Collection	Colors	Type	Manufacture without join (WIDTH X HEIGHT)		Joined (WIDTH X HEIGHT)	Manufacture without join (WIDTH X HEIGHT)		Joined (WIDTH X HEIGHT)
			 Warp confection	 Weft confection	 Weft confection	 Warp confection	 Weft confection	 Weft confection
BLACK OUT MATTE	Custard	BO FR (C1)	1830x3000/1600x3600 1400x3800/1000x4000	2800x1530	2800x2000/2600x2600 2400x2800/2000x3000	1830x5800	3000x1530	3000x3800/2800x5200 2400x5400/2000x5800
BLACK OUT MATTE	Other colors	BO FR (C1)	2500x2600/2000x3000 1600x3600/1000x4000	2800x2000/2600x2200	2800x2000/2600x2600 2400x2800/2000x3000	2500x5200/2400x5400 2000x5800	3000x2200	3000x3800/2800x5200 2400x5400/2000x5800
IMAGINE BLACKOUT	The entire range	BO FR (EC)	2600x2600	--	--	2600x2600	--	--
LINEA 2000 NACARADE	The entire range	METAL	2000x2600/1800x3000 1400x3400/1000x3600	3600x1400/3400x1600 3200x1700	N/D	2000x5400/1800x5600 1400x5800	4000x1600/3800x1700	N/D
NOCHE	The entire range	BO FR (P1)	1830x3000/1600x3200	2800x1530	2800x2000/2600x2600 2000x3000/1600x3200	1830x3200	3000x1530	3000x3200
OSCAR IGNIS BLACKOUT	The entire range	BO FR (M1)	2400x2600	--	--	2400x2600	--	--
PLANET IGNIS	The entire range	FR (M1) ECO-OF 1%	2700x2200/2000x2600 1600x3200/1000x3600	3600x1400/3200x1800 2800x2200/2400x2400	N/D	2700x4400/2200x5200 1800x5600/1400x5800	4000x1600/3800x2400	N/D
*POLYSCREEN® 314	The entire range	PS-OF 14%	2500x2200/2000x2600 1600x3200/1000x3600	3600x1400/3200x1800 3000x2000/2800x2200	N/D	2500x4600/2200x5200 1800x5600/1400x5800	4000x1600/3800x2200	N/D
POLYSCREEN® 350	Bronce grey, Linen, Perla sable, Ebony	PS-OF 10%	2500x1800/2200x2000 1600x2600/1000x2800	3600x1000/3000x1600 2600x1800/1800x2200	3400x1200/3200x1400 1800x2400/1000x2800	2500x3600/2200x4000 1800x4400/1400x4600	4000x1200/3800x2200	3800x2400/3400x3000 3000x3400/2000x4200
POLYSCREEN® 350	Blanco, Blanco lino, Blanco perla, Perla, Perla gris, Tobacco	PS-OF 10%	3000x1600/2200x2000 1600x2600/1000x2800	3600x1000/3000x1600 2200x2000/1000x2700	3400x1200/2600x1800 1800x2400/1000x2800	3000x3400/2400x3800 2000x4200/1400x4600	4000x1200/3800x2400 3600x2700	3800x2400/3600x2800 3200x3200/2200x4000
POLYSCREEN® 351	Bronce, Ebony, Linen	PS-OF 1%	2500x1800/2200x2000 1600x2600/1000x2800	3600x1000/3000x1600 2600x1800/1800x2200	3400x1200/3200x1400 1800x2400/1000x2800	2500x3600/2200x4000 1800x4400/1400x4600	4000x1200/3800x2200	3800x2400/3400x3000 3000x3400/2000x4200
POLYSCREEN® 351	Blanco, Blanco-gris, Blanco-lino, Blanco-perla	PS-OF 1%	3000x1600/2200x2000 1600x2600/1000x2800	3600x1000/3000x1600 2200x2000/1000x2700	3400x1200/2600x1800 1800x2400/1000x2800	3000x3400/2400x3800 2000x4200/1400x4600	4000x1200/3800x2400 3600x2700	3800x2400/3600x2800 3200x3200/2200x4000
POLYSCREEN® 403	Blanco lino, Blanco perla, Linen	PS-OF 3%	2500x1800/2200x2000 1600x2600/1000x2800	3600x1000/3000x1600 2600x1800/1800x2200	3400x1200/3200x1400 1800x2400/1000x2800	2500x3600/2200x4000 1800x4400/1400x4600	4000x1200/3800x2200	3800x2400/3400x3000 3000x3400/2000x4200
POLYSCREEN® 403	Blanco, Blanco antracita, Blanco gris, Blanco sable, Ebony, Ebony bronze	PS-OF 3%	3000x1600/2200x2000 1600x2600/1000x2800	3600x1000/3000x1600 2200x2000/1000x2700	3400x1200/2600x1800 1800x2400/1000x2800	3000x3400/2400x3800 2000x4200/1400x4600	4000x1200/3800x2400 3600x2700	3800x2400/3600x2800 3200x3200/2200x4000
POLYSCREEN® 550	Ash, Tobacco, Bitter Chocolate, Blue indigo, Blanco naranja, Bronze red, Carmine, Blanco amarillo, Sand yellow, Bronze	PS-OF 5%	2500x1600/2000x1800 1600x2200/1200x2400	3600x1000/3000x1400 1800x2000/1600x2200	3200x1200/2600x1600 1800x2000/1200x2400	2500x3200/2000x3600 1800x3800/1400x4000	4000x1200 3800x2200	3600x2400/3200x2800 3000x3000/2200x3400
POLYSCREEN® 550	Blanco, Blanco lino, Blanco perla, Perla gris, Perla sable, Linen, Ebony, Perla	PS-OF 5%	3000x1400/2600x1600 1600x2200/1200x2400	3600x1000/3200x1200 2000x1800/1800x2000	--	3000x3000/2600x3200 2000x3600/1400x4000	4000x1200/3800x2200 3400x2600/3200x2700	3600x2400/3200x2800 2200x3400/1800x3800



certified

B-BOX 100

B-BOX 136

Collection	Colors	Type	Manufacture without join (WIDTH X HEIGHT)		Joined (WIDTH X HEIGHT)	Manufacture without join (WIDTH X HEIGHT)		Joined (WIDTH X HEIGHT)
			 Warp confection	 Weft confection	 Weft confection	 Warp confection	 Weft confection	 Weft confection
BLACK OUT MATTE	Custard	BO FR (C1)	1830x6000	3600x1530	3600x2600/3400x5800 3200x6000	1830x7000	4200x1530	4200x3800/4000x7000
BLACK OUT MATTE	Other colors	BO FR (C1)	2500x6000	3600x2200	3600x2600/3400x5800 3200x6000	2500x7000	4200x2200	4200x3800/4000x7000
IMAGINE BLACKOUT	The entire range	BO FR (EC)	2600x2600	--	--	2600x2600	--	--
LINEA 2000 NACARADE	The entire range	METAL	2000x6000	4600x1700	N/D	2000x7000	5400x1700	N/D
NOCHE	The entire range	BO FR (P1)	1830x3200	3000x1530	3000x3200	1830x3200	3000x1530	3000x3200
OSCAR IGNIS BLACKOUT	The entire range	BO FR (M1)	2400x2600	--	--	2400x2600	--	--
PLANET IGNIS	The entire range	FR (M1) ECO-OF 1%	2700x6000	4600x2400	N/D	2700x7000	5400x2400	N/D
POLYSCREEN® 314	The entire range	PS-OF 14%	2500x6000	4600x2200	N/D	2500x7000	5400x2200	N/D
POLYSCREEN® 350	Bronce grey, Linen, Perla sable, Ebony	PS-OF 10%	2500x5400/2400x5800 2000x6000	4600x1800/4400x2200	4400x3000/4200x4000 3400x4800/2600x5400	2500x7000	5400x2200	5400x2400/5200x3800 5000x5200/4800x7000
POLYSCREEN® 350	Blanco, Blanco lino, Blanco perla, Perla, Perla gris, Tobacco	PS-OF 10%	3000x5200/2600x5400 2400x5800/2000x6000	4600x1800/4400x2700	4400x3000/4200x4000 3400x4800/2600x5400	3000x7000	5400x2400/5200x2700	5400x2400/5200x3800 5000x5200/4800x7000
POLYSCREEN® 351	Bronce, Ebony, Linen	PS-OF 1%	2500x5400/2400x5800 2000x6000	4600x1800/4400x2200	4400x3000/4200x4000 3400x4800/2600x5400	2500x7000	5400x2200	5400x2400/5200x3800 5000x5200/4800x7000
POLYSCREEN® 351	Blanco, Blanco-gris, Blanco-lino, Blanco-perla	PS-OF 1%	3000x5200/2600x5400 2400x5800/2000x6000	4600x1800/4400x2700	4400x3000/4200x4000 3400x4800/2600x5400	3000x7000	5400x2400/5200x2700	5400x2400/5200x3800 5000x5200/4800x7000
POLYSCREEN® 403	Blanco lino, Blanco perla, Linen	PS-OF 3%	2500x5400/2400x5800 2000x6000	4600x1800/4400x2200	4400x3000/4200x4000 3400x4800/2600x5400	2500x7000	5400x2200	5400x2400/5200x3800 5000x5200/4800x7000
POLYSCREEN® 403	Blanco, Blanco antracita, Blanco gris, Blanco sable, Ebony, Ebony bronze	PS-OF 3%	3000x5200/2600x5400 2400x5800/2000x6000	4600x1800/4400x2700	4400x3000/4200x4000 3400x4800/2600x5400	3000x7000	5400x2400/5200x2700	5400x2400/5200x3800 5000x5200/4800x7000
POLYSCREEN® 550	Ash, Tobacco, Bitter Chocolate, Blue indigo, Blanco naranja, Bronze red, Carmine, Blanco amarillo, Sand yellow, Bronze	PS-OF 5%	2500x4800 / 2400x5000 2000x5400 / 1600x5600	4600x1600 / 4400x2200	4400x2800 / 4200x3600 3600x4200 / 3000x4600	2500x7000	5400x2200	5200x3400/5000x4800 4800x6200 / 4200x7000
POLYSCREEN® 550	Blanco, Blanco lino, Blanco perla, Perla gris, Perla sable, Linen, Ebony, Perla	PS-OF 5%	3000x4600 / 2400x5000 2000x5400 / 1600x5600	4600x1600 / 4400x2700	4200x3600 / 3800x4000 3400x4400 / 2600x4800	3000x7000	5400x2200 / 5200x2700	5200x3400/5000x4800 4800x6200/4200x7000



cradledesigns











 **MAXIMUM SHADE SIZE (mm)**

B-BOX 65

B-BOX 85

B-BOX 100

B-BOX 136

Collection	Colors	Type	Manufacture without join (WIDTH X HEIGHT)		Joined (WIDTH X HEIGHT)	Manufacture without join (WIDTH X HEIGHT)		Joined (WIDTH X HEIGHT)	Manufacture without join (WIDTH X HEIGHT)		Joined (WIDTH X HEIGHT)	Manufacture without join (WIDTH X HEIGHT)		Joined (WIDTH X HEIGHT)	
			 Warp confection	 Weft confection	 Weft confection	 Warp confection	 Weft confection	 Weft confection	 Warp confection	 Weft confection	 Weft confection	 Warp confection	 Weft confection	 Weft confection	 Weft confection
ECOVISION	The entire range	FR (M1) ECO-OF 3%	2700x2200 2000x2600 1600x3200 1000x3600	3600x1400 3200x1800 2800x2200 2400x2400	N/D	2700x4400 2200x5200 1800x5600 1400x5800	4000x1600 3800x2400	N/D	2700x6000	4600x2400	N/D	2700x7000	5400x2400	N/D	
MAMBO BLACKOUT	The entire range	BO	2500x2600 2000x3000 1600x3600 1000x4000	N/D	N/D	2500x5200 2400x5400 2000x5800	N/D	N/D	2500x6000	N/D	N/D	2500x7000	N/D	N/D	
POLYSCREEN® 365	The entire range	PS-OF 5%	2400x1800 2200x2000 1600x2600 1000x2800	3600x1000 3000x1600 2200x2000 1800x2100	3400x1200 3200x1400 1800x2400 1000x2800	2400x3800 2000x4200 1800x4400 1400x4600	4000x1200 3800x2100	3800x2400 3400x3000 3000x3400 2600x3600	2400x5800 2000x6000	4600x1800 4400x2100	4400x3000 4200x4000 3400x4800 2600x5400	2400x7000	5400x2100	5400x2400 5200x3800 5000x5200 4800x7000	
POLYSCREEN® 555	The entire range	PS-OF 5%	2500x1600 2000x1800 1600x2200 1200x2400	3600x1000 3000x1400 1800x2000 1600x2200	3200x1200 2600x1600 1800x2000 1200x2400	2500x3200 2000x3600 1800x3800 1400x4000	4000x1200 3800x2200	3600x2400 3200x2800 3000x3000 2200x3400	2500x4800 2400x5000 2000x5400 1600x5600	4600x1600 4400x2200	4400x2800 4200x3600 3600x4200 3000x4600	2500x7000	5400x2200	5200x3400 5000x4800 4800x6200 4200x7000	
POLYSCREEN® 597	The entire range	PS-OF 10%	2500x1200 2000x1600 1600x1800 1200x2000	3600x800 3200x1000 2800x1200 2200x1400	N/D	2500x2600 2200x2800 1800x3200 1200x3400	3800x1800 3600x2000 3400x2200	N/D	2500x4000 2200x4400 2000x5200 1400x5600	4600x1600 4400x2200	N/D	2500x7000	5400x2000 5200x2200	N/D	
POLYSCREEN® 650	The entire range	PS-OF 3%	2500x1200 2000x1600 1600x1800 1200x2000	3600x800 3200x1000 2800x1200 2200x1400	--	2500x2600 2200x2800 1800x3200 1200x3400	3800x1800 3600x2000 3400x2200	3200x2400 2800x2600 2000x3000 1200x3400	2500x4000 2200x4400 2000x5200 1400x5600	4600x1600 4400x2200	4400x2600 4200x3000 3800x3400 3200x3800	2500x7000	5400x2000 5200x2200	5200x3200 4800x5200 4200x6000 3400x7000	
SKYLINE METAL	The entire range	FR (C1) METAL	2400x2400 1800x3000 1400x3400 1000x3600	3600x1400 3400x1600 3200x1800 2800x2100	N/D	2400x4800 2200x5200 1800x5600 1400x5800	4000x1600 3800x2100	N/D	2400x6000	4600x2100	N/D	2400x7000	5400x2100	N/D	

FR: Fire-retardant fabric. ECO: Recycled fabric. BO: Blackout fabric. PS: Polyscreen®. METAL: Reflective fabric. OF: Openness factor. M1: NF P 92-503. C1: EN 13773:2003.















 **MAXIMUM SHADE SIZE (mm)**

B-BOX 65

B-BOX 85

B-BOX 100

B-BOX 136

Collection	Colors	Type	Manufacture without join (WIDTH X HEIGHT)		Joined (WIDTH X HEIGHT)	Manufacture without join (WIDTH X HEIGHT)		Joined (WIDTH X HEIGHT)	Manufacture without join (WIDTH X HEIGHT)		Joined (WIDTH X HEIGHT)	Manufacture without join (WIDTH X HEIGHT)		Joined (WIDTH X HEIGHT)	
			 Warp confection	 Weft confection	 Weft confection	 Warp confection	 Weft confection	 Weft confection	 Warp confection	 Weft confection	 Weft confection	 Warp confection	 Weft confection	 Weft confection	
ECOPLANET IGNIS	The entire range	FR (M1) ECO	2700x2200 2000x2600 1600x3200 1000x3600	3600x1400 3200x1800 2800x2200 2400x2400	N/D	2700x4400 2200x5200 1800x5600 1400x5800	4000x1600 3800x2400	N/D	2700x6000	4600x2400	N/D	2700x7000	5400x2400	N/D	
OPAC	The entire range	BO FR (M1)	2100x2800 2000x3000 1600x3200	2600x1800	2600x2600 2400x2800 2000x3000 1600x3200	2100x3200	2600x1800	2600x3200	2100x3200	2600x1800	2600x3200	2100x3200	2600x1800	2600x3200	
PLANET IGNIS NACAR	The entire range	FR (P1) ECO-OF 15% METAL	2600x2200 2000x2600 1600x3200 1000x3600	3600x1400 3200x1800 2800x2200 2400x2300	N/D	2600x4600 2200x5200 1800x5600 1400x5800	4000x1600 3800x2300	N/D	2600x6000	4600x2300	N/D	2600x7000	5400x2300	N/D	
*POLYSCREEN® CONSTELLATION	The entire range	PS-OF 9%	2500x1600 2000x1800 1600x2200 1200x2400	N/D	N/D	2500x3200 2000x3600 1800x3800 1400x4000	N/D	N/D	2500x4800 2400x5000 2000x5400 1600x5600	N/D	N/D	2500x7000	N/D	N/D	
POLYSCREEN® COUPAGE	The entire range	PS-OF 5%	2500x1600 2000x1800 1600x2200 1200x2400	N/D	N/D	2500x3200 2000x3600 1800x3800 1400x4000	N/D	N/D	2500x4800 2400x5000 2000x5400 1600x5600	N/D	N/D	2500x7000	N/D	N/D	
*POLYSCREEN® LUMINOUS	The entire range	PS-OF 10%	2500x1200 2000x1600 1600x1800 1200x2000	N/D	N/D	2500x2600 2200x2800 1800x3200 1200x3400	N/D	N/D	2500x4000 2200x4400 2000x5200 1400x5600	N/D	N/D	2500x7000	N/D	N/D	
*POLYSCREEN® 550 BLACK OUT +10%	The entire range	PS BO-OF 0%	2000x1600 1600x1800 1200x2000	3500x800 3200x1000 2800x1200 2200x1400	--	2000x3000 1800x3200 1200x3400	3500x1700	3500x2000 3400x2200 3200x2400 2800x2600	2000x3500	3500x1700	3500x3500	2000x3500	3500x1700	3500x3500	
POLYSCREEN® 365 METAL +20%	The entire range	PS METAL-OF 4%	2400x1800 2200x2000 1600x2600 1000x2800	3600x1100 3000x1600 2200x2000 1800x2100	N/D	2400x3800 2000x4200 1800x4400 1400x4600	4000x1200 3800x2100	N/D	2400x5800 2000x6000	4600x1800 4400x2100	N/D	2400x7000	5400x2100	N/D	

FR: Fire-retardant fabric. ECO: Recycled fabric. BO: Blackout fabric. PS: Polyscreen®. METAL: Reflective fabric. OF: Openness factor. M1: NF P 92-503. P1: NFPA 701.

 1. *Indoor installation only.